

# Promise of Breakthrough Automation

A wide range of HMI systems and related products for the Off-Highway Industry



### **Company Profile**

PROBA, a Wylie India brand, operates under the esteemed Indian company Pearey Lall & Sons (E.P.) Private Limited, established in 1948. We specialise in Human-Machine Interfaces (HMIs), Equipment Safety Solutions, and related components, offering high-quality, robust products tailored for the Off-Highway Industry.

With decades of experience, we design, test, and manufacture intelligent, customised solutions that are both cost-effective and reliable. Our offerings stand out for their durability, modularity, and ability to drive productivity and efficiency. We continuously refine our products by staying aligned with the latest market trends, maintaining a user-centric approach, and upholding the highest quality standards.

Our strong support infrastructure enables agile, comprehensive after-sales service throughout each product's lifecycle. Our dedicated technicians remain closely connected with our customers, committed to providing responsive and effective assistance.

We manufacture all our products at our state-of-the-art facility in Uttar Pradesh, India. As we expand, we are excited to introduce new product categories that seamlessly address the evolving needs of the industry.



Promise of Breakthrough Automation

# Range of Products

Dashboard Displays (Standalone / Integrated)	
CENTUS 4300 series	03
PRIMUS 5000 series	04
Rated Capacity Indicators (LMI / SLI)	
TAURUS 5000 series	05
Wiring Harnesses & Accessories	
HARNUS series	06
Jpcoming Range of Products (Mid & Late 2025)	
Dashboard Display (Standalone)	
OPUS 3500 series	
Connected Solutions	
PROBA Connect (Mobile Application)	
Dash Control	
PALMUS (CAN-based)	

# **CENTUS** 4300 series



**Digital Cluster** 

This compact, configurable cluster features an intuitive display with advanced engine monitoring that enhances operator efficiency and productivity. Built for tough conditions, it delivers reliable performance in demanding applications.

#### **Salient Features**



4.3" non-touch colour TFT IPS Resolution: 800 x 480 Brightness: 1000 cd/m²



Rated Capacity Indicator (Optional)




Camera x 2 (Optional)



Customisable

#### **Technical Specifications**



#### Connectivity





2x (SAE J1939)

5.2

#### Compliances






upto IP67 EMI / EMC

#### **Applications**





# **PRIMUS** 5000 series

# PROBA PROBA \*\* xx'C bh:nm m.dd.yy Screen Status: ON This is a demo screen

#### **Hybrid Cluster**

This premium, programable cluster features a user-friendly display with superior engine monitoring that elevate operator experience. Robustly built for extreme conditions, it ensures efficient performance in heavy-duty applications.

#### **Salient Features**



5" non-touch colour TFT IPS Resolution: 800 x 480 Brightness: 1000 cd/m²



Rated Capacity Indicator (Optional)



Camera x 2 (Optional)



Customisable

#### **Technical Specifications**

OPER/	ATING TEMPERATURE -30°C to +85°C	<b>₹</b> ↑↑	ANALOG INPUTS 8x
- + POWE	R SUPPLY 9-36 VDC	3 3 3	DIGITAL INPUTS 32x
PUSH PUSH	BUTTONS 4x	~~ \	FREQ INPUTS 2x
-∑ੂੰ- LED In	dicators up to 32x		DIGITAL OUTPUTS: HSD 4x; LSD 2x
<b>GAUG</b>	ES 2x	(1)	REAL TIME CLOCK
LED B	ARS 2x		AMBIENT SENSOR : Temperature
CONN	ECTOR 34 Pin 2x	<del>\</del>	AMBIENT SENSOR : Light
())) BUZZE	ER		

#### Connectivity





2x (SAE J1939)

J1939) 5.

#### Compliances






up to IP67 EMI /

EMI / EMC

#### **Applications**





# **TAURUS** 5000 series



#### Rated Capacity Indicator (LMI/SLI)

This advanced safety system features an engaging display with an intuitive interface for real-time accurate load monitoring, clear dynamic indicators, safety-enabling warnings & controls, audiovisual alarms and operator guidance.

Its application-based versatility and easy calibration enhances usability and efficiency. Built with rugged construction, it ensures reliable, safe performance of heavy-duty equipment in harsh conditions.

#### **Salient Features**



5" non-touch colour TFT IPS Resolution: 800 x 480 Brightness: 1000 cd/m<sup>2</sup>



Accuracy: ±5% or better



Camera x 2 (Optional)

#### **Accessories**







Dynamometers (SLI)



Cable Reel Drums



A2B Switch

#### **Technical Specifications**



#### Connectivity







#### Compliances






EMI / EMC

#### **Applications**





At PROBA, we are dedicated to delivering integrated products and solutions that elevate customer experience while supporting a more sustainable future. We craft our products to the highest quality standards, backed by a skilled team that is always ready to assist.

Our engineering merges the strengths of hardware and software to provide a seamless, focused experience that empowers users. We envision a market where equipment operates safely, intuitively, and stays effortlessly connected.

We strive to achieve this by introducing state-of-the-art solutions that uplift the industry's mindset without compromising core principles. With our "PROmise of Breakthrough Automation" and Leading-edge Solutions, we proudly offer a unique range of products to our valued customers.



#### **CONTACT US**

If you have any questions or need assistance, please feel free to reach out. Our team is available 24/7, committed to supporting you in every way possible.



# Pearey Lall & Sons (E.P.) Private Limited

#### **ADDRESS**

♠ 9th Milestone, G.T. Road, Mohan Nagar, Ghaziabad Uttar Pradesh-201007, India

#### **CONTACT INFO**

011-23354108, 233221285

+91 120 417 7991